

Titan Acoustics

Bold Engineering. Absolute Fidelity

HIGH END munich 2025

15.-18.5.2025

Hall4 T6



Tx100 / Silver

Tx100

High-End Audiophile Level Turntable



Black



Silver



External Power Supply (OCXO Clock)

Plinth		Aluminium(CNC Machined) / 40mm
Platter		Aluminium(CNC Machined) / 36.5mm
Sub-Platter		Aluminium(CNC Machined)
Drive		Belt (PREMOTEK 24P Synchronous motor)
RPM		33.3 / 45rpm
Wow & Flutter		0.05% (Ceramic ball-Sintered Brass Spindle)
Power Supply		External (10MHz OCXO Clock Generting)
Tonearm	Material	Duralumin
	Pivot	Gimbal (ABEC 7-Grade Bearings)
	Tube	CFRP
	VTA	VTA Adjustment (9mm / On The Fly)
	VTF	Static
	Eff. Mass	11~16g
	Eff. Length	239.5mm (9.4Inch)
	Overhang	17.5mm
	Offset Angle	26.5°
	Tracking Error	Inner 2.4° (R=52mm), Outer 1.8° (R=146mm)
Wire		Silver(99.999+ %)
Output		RCA
Mass		20kg

Ts100

Studio Level Turntable



Black



Silver



Internal Power Supply (TCXO Clock)

Plinth		Aluminium(CNC Machined) / 32mm
Platter		Black:POM, Silver:Acrylic / 36.5mm
Sub-Platter		Aluminium(CNC Machined)
Drive		Belt (PREMOTEK 24P Synchronous motor)
RPM		33.3 / 45rpm
Wow & Flutter		0.05% (Polymer Spindle)
Power Supply		Internal (2.5MHz TCXO Clock Generting)
Tonearm	Material	Duralumin
	Pivot	Gimbal (ABEC 7-Grade Bearings)
	Tube	CFRP
	VTA	VTA Adjustment (9mm)
	VTF	Static
	Eff. Mass	11~16g
	Eff. Length	239.5mm (9.4Inch)
	Overhang	17.5mm
	Offset Angle	26.5°
	Tracking Error	Inner 2.4° (R=52mm), Outer 1.8° (R=146mm)
	Wire	Oxygen Free Copper
Output		RCA
Mass		16kg

Titan Acoustics

Titan Acoustics Inc.

110, Ahasan-ro 78-gil, Gwangjin-gu, Seoul, Republic of Korea

sales@titan-acoustics.co.kr

yslee@titan-acoustics.co.kr

(+82)-2-455-1607

(+82)-10-2959-1607

www.titan-acoustics.co.kr



Ts100 / Silver